


600X600MM



Mono Wood

Collection


The Warmth of Wood.
The strength of Porcelain.

About the Collection

Nature, Perfected.

The **Mono Wood Collection** by **Victory Tiles** captures the authentic character of natural hardwood - every knot, every grain, every subtle tonal shift – and translates it into premium porcelain that's built to last. Designed for architects, interior designers, and homeowners who refuse to compromise between beauty and performance.

Each tile in the collection is digitally printed using advanced inkjet technology with high-definition textures that are virtually indistinguishable from real wood. Available in six curated tones – from pale Maple to dramatic Ebony - the Mono Wood range offers complete design flexibility across residential and commercial spaces.



WATER RESISTANT

2-3% water absorption
for wet area confidence



SCRATCH PROOF

PEI-V rated surface
for high-traffic durability




STAIN RESISTANT

Easy-clean glaze
for effortless maintenance



ECO FRIENDLY

Sustainably produced
with recycled content



Monowood Barn



SIZE
600X600mm

FINISH
Matt+Punch



Monowood Barn



Monowood Chestnut



SIZE
600X600mm

FINISH
Matt+Punch



Monowood Chestnut



Monowood Walnut



SIZE
600X600mm

FINISH
Matt+Punch



Monowood Elm



SIZE
600X600mm

FINISH
Matt+Punch



Monowood Elm



Monowood Europine



SIZE
600X600mm

FINISH
Matt+Punch



Monowood Europine



Monowood Havana



SIZE
600X600mm

FINISH
Matt+Punch



Monowood Honey



SIZE
600X600mm

FINISH
Matt+Punch



Monowood Maple



SIZE
600X600mm

FINISH
Matt+Punch



Monowood Smoke



SIZE
600X600mm

FINISH
Matt+Punch



Monowood Smoke



Monowood Bourbonn



SIZE
600X600mm

FINISH
Matt+Punch



Safari Wood



SIZE
600X600mm

FINISH
Matt+Punch

TECHNICAL SPECIFICATIONS

Characteristics		Euro Standards En-177 Group B	Victory Value 600x600mm
A DIMENSIONS & SURFACE QUALITY			
1	Deviation in Length	+/- 0.5%	+/- 0.2%
2	Deviation in Thickness	+/- 5%	+/- 4%
3	Straightness of Sides	+/- 0.5%	+/- 0.2%
4	Rectangularity	+/- 0.6%	+/- 0.25%
5	Surface Flatness	+/- 0.5%	+/- 0.3%
6	Surface Quality	Min 95%	Min 95%
B PHYSICAL PROPERTIES			
1	Water Absorption	3< EU	3-6%
2	Module of Rupture N/mm ²	>22	>28 N/mm ²
3	Scratch Hardness (MOHS)	MIN 5	MIN 5
4	Thermal Expansion	Max - 9 x 10 ⁻⁶ K ⁻¹	Conforms to the standards
5	Thermal Shock Resistance	Required	Conforms to the standards
6	Crazing Resistance	Required	Conforms to the standards
7	Abrasion Resistance	Required	Conforms to the standards
C CHEMICAL PROPERTIES			
1	Resistance to Staining	Min Class 2	Min Class 2
2	Resistance to House Chemicals	Min class B	Min class B
3	Resistance to Acids and Alkalies	Required	Required

PACKING DETAILS

Size	Pcs. / Box	Area Covered (Approx.)	Weight per Box (Approx.)
600x600mm	04 Pcs.	1.44 Sq.mtr.	26.50 Kg.

Note :

- There may be difference in the colors, please see the actual tiles before placing order.
- No claims of what so ever are entertained after fixing.



Victory Ceratech Pvt. Ltd.
AN ISO 9001 : 2015 CERTIFIED COMPANY

303, Camps Corner-II, Near Prahladnagar Garden, Satellite, Ahmedabad-380015, INDIA.
Ph : +91 79 40266000, info@victorytiles.com, www.victorytiles.com

